UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/527,355	03/07/2005	Nobuhiro Nunoya	14321.67	4938
22913 7590 03/19/2009 Workman Nydegger 1000 Eagle Gate Tower			EXAMINER	
			STAFFORD, PATRICK	
60 East South Temple Salt Lake City, UT 84111			ART UNIT	PAPER NUMBER
•			2828	
			MAIL DATE	DELIVERY MODE
			03/19/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
Office Action Comments	10/527,355	NUNOYA ET AL.				
Office Action Summary	Examiner	Art Unit				
	PATRICK STAFFORD	2828				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1)⊠ Responsive to communication(s) filed on <u>18 De</u>	ecember 2008.					
	action is non-final.					
<i>;</i> —		secution as to the merits is				
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
ologod in accordance with the practice and i	x parte gadyle, 1000 0.D. 11, 10	0.0.210.				
Disposition of Claims						
4)⊠ Claim(s) <u>1-10,12,14-16 and 50-54</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6) Claim(s) <u>1-10, 12, 14-16, 50-54</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	election requirement					
are subject to restriction and/or	Ciccuon requirement.					
Application Papers						
9)☐ The specification is objected to by the Examiner.						
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
	• • • • • • • • • • • • • • • • • • • •	* *				
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa 6) Other:	te				

DETAILED ACTION

Response to Amendment

Claims 1-10, 12, 14-16 and 50-54 pending 18 December 2008.

Claims 1-3, 5 and 6 amended 18 December 2008.

Response to Arguments

Applicant's arguments filed 18 December 2008 have been fully considered but they are not persuasive.

In response to applicant's argument that neither Numai '776, Funabashi '740 nor Ikeda '737 teach a gain region with a high coupling coefficient and a reflection region with high reflectivity, Funabashi '740 teaches the reflecting region with high reflectivity (col. 7, lines 43-44). In addition, Ikeda '737 teaches a gain region coupled with a diffraction grating with a very high coupling coefficient, greater than 300 cm⁻¹ (col. 5, line 67-col. 6, line 2).

In response to applicant's argument that neither Numai '776, Funabashi '740 nor Ikeda '737 teach a cavity for laser oscillation having an extended stop bandwidth, Numai '776 teaches forming a cavity for laser oscillation with an extended stop bandwidth (col. 12, lines 13-15).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Art Unit: 2828

Claim 1-7, 9-10, 14-16, 50-54 are rejected under 35 U.S.C. 103(a) as being unpatentable over Numai (U.S. Patent 6,501,776, hereafter '776) in view of Funabashi (U.S. Patent 6,580,740, hereafter '740) and further in view of Ikeda et al (U.S. Patent 5,155,737, hereafter '737).

Claim 1: '776 teaches a semiconductor laser comprising:

a gain region having wavelength selectivity (col. 3, lines 24-28, the active layer);

a propagating region optically coupled to said gain region (col. 3, lines 27-28, the light guiding layer), having an effective refractive index whose temperature dependence differs from that of the gain region and having no wavelength selectivity (col. 3, lines 3-15, active layer has the positive refractive-index temperature coefficient, the light guiding layer has the negative refractive-index temperature coefficient); and

a reflecting region that reflects light propagated through the propagating region, and has no gain (col. 4, lines 17-28, the distributed Bragg reflector);

and the gain region and said reflection region form a cavity for laser oscillation with an extended stop bandwidth (col. 12, lines 13-15).

'776 does not explicitly teach the gain region comprising a diffraction grating formed by a periodic perturbation with at least one of real and imaginary parts of a complex refractive index and the reflecting region having high reflectivity. However, Funabashi '740 teaches the gain region comprising a diffraction grating formed by a periodic perturbation with at least one of real and imaginary parts of a complex refractive index is suitable for the grating in a semiconductor laser with an active layer (col. 1, lines 26-41) and the reflecting region has high reflectivity (col. 7, lines 43-44) in order to reflect the light and lase the desired wavelength (col. 7, lines 46-51).

Art Unit: 2828

Page 4

The selection of something based on its known suitability for its intended use has been held to support a *prima facie* case of obviousness. *Sinclair & Carroll Co. v. Interchemical Corp.*, 325 U.S. 327, 65 USPQ 297 (1945). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use the gain region comprising a diffraction grating formed by a periodic perturbation with at least one of real and imaginary parts of a complex refractive index and the reflecting region has high reflectivity in order to reflect the light and lase the desired wavelength.

'776 and '740 do not explicitly teach the coupling coefficient of the diffraction grating of the gain region being greater than 300 cm⁻¹. Ikeda '737 teaches a diffraction grating with a very high coupling coefficient, greater than 300 cm⁻¹ (col. 5, line 67-col. 6, line 2) as suitable for semiconductor lasers. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use a diffraction grating with a very high coupling coefficient, greater than 300 cm⁻¹. The subject matter as a whole would have been obvious to one of ordinary skill in the art at the time the invention was made to have selected the overlapping portion of the range disclosed by the reference because overlapping ranges have been held to be a *prima facie* case of obviousness, see *In re Malagari*, 182 U.S.P.Q. 549.

a gain region having wavelength selectivity (col. 3, lines 24-28, the active layer);

a propagating region optically coupled to said gain region (col. 3, lines 27-28, the light guiding layer), having a material with an effective refractive index whose temperature dependence differs from that of the gain region, and having no gain nor wavelength selectivity

(col. 3, lines 3-15, active layer has the positive refractive-index temperature coefficient, the light guiding layer has the negative refractive-index temperature coefficient); and

a reflecting region that reflects light propagated through the propagating region, and has no gain (col. 4, lines 17-28, the distributed Bragg reflector);

and the gain region and said reflection region form a cavity for laser oscillation with an extended stop bandwidth (col. 12, lines 13-15).

'776 does not explicitly teach the propagation region is a material other than a semiconductor. However, it would have been an obvious matter of design choice to use a material other than a semiconductor, since applicant has not disclosed that using a material other than a semiconductor material for a propagating region solves any stated problem or is any particular purpose and it appears that the invention would perform equally well with any material with an effective refractive index whose temperature dependence differs from that of the gain region, and having no gain nor wavelength selectivity.

'776 does not explicitly teach the gain region comprising a diffraction grating formed by a periodic perturbation with at least one of real and imaginary parts of a complex refractive index and the reflecting region having high reflectivity. However, Funabashi '740 teaches the gain region comprising a diffraction grating formed by a periodic perturbation with at least one of real and imaginary parts of a complex refractive index is suitable for the grating in a semiconductor laser with an active layer (col. 1, lines 26-41) and the reflecting region has high reflectivity (col. 7, lines 43-44) in order to reflect the light and lase the desired wavelength (col. 7, lines 46-51). The selection of something based on its known suitability for its intended use has been held to support a *prima facie* case of obviousness. *Sinclair & Carroll Co. v. Interchemical Corp.*, 325

Art Unit: 2828

U.S. 327, 65 USPQ 297 (1945). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use the gain region comprising a diffraction grating formed by a periodic perturbation with at least one of real and imaginary parts of a complex refractive index and the reflecting region has high reflectivity in order to reflect the light and lase the desired wavelength.

'776 and '740 do not explicitly teach the coupling coefficient of the diffraction grating of the gain region being greater than 300 cm⁻¹. Ikeda '737 teaches a diffraction grating with a very high coupling coefficient, greater than 300 cm⁻¹ (col. 5, line 67-col. 6, line 2) as suitable for semiconductor lasers. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use a diffraction grating with a very high coupling coefficient, greater than 300 cm⁻¹. The subject matter as a whole would have been obvious to one of ordinary skill in the art at the time the invention was made to have selected the overlapping portion of the range disclosed by the reference because overlapping ranges have been held to be a *prima facie* case of obviousness, see *In re Malagari*, 182 U.S.P.Q. 549.

Claim 3: '776 teaches a semiconductor laser comprising:

a gain region having wavelength selectivity (col. 3, lines 24-28, the active layer);

a propagating region optically coupled to said gain region (col. 3, lines 27-28, the light guiding layer), having a structure with an effective refractive index whose temperature dependence differs from that of the gain region, and having no gain nor wavelength selectivity (col. 3, lines 3-15, active layer has the positive refractive-index temperature coefficient, the light guiding layer has the negative refractive-index temperature coefficient); and

a reflecting region that reflects light propagated through the propagating region, and has no gain (col. 4, lines 17-28, the distributed Bragg reflector);

and the gain region and said reflection region form a cavity for laser oscillation with an extended stop bandwidth (col. 12, lines 13-15).

'776 does not explicitly teach the gain region comprising a diffraction grating formed by a periodic perturbation with at least one of real and imaginary parts of a complex refractive index and the reflecting region having high reflectivity. However, Funabashi '740 teaches the gain region comprising a diffraction grating formed by a periodic perturbation with at least one of real and imaginary parts of a complex refractive index is suitable for the grating in a semiconductor laser with an active layer (col. 1, lines 26-41) and the reflecting region has high reflectivity (col. 7, lines 43-44) in order to reflect the light and lase the desired wavelength (col. 7, lines 46-51). The selection of something based on its known suitability for its intended use has been held to support a *prima facie* case of obviousness. *Sinclair & Carroll Co. v. Interchemical Corp.*, 325 U.S. 327, 65 USPQ 297 (1945). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use the gain region comprising a diffraction grating formed by a periodic perturbation with at least one of real and imaginary parts of a complex refractive index and the reflecting region has high reflectivity in order to reflect the light and lase the desired wavelength.

'776 and '740 do not explicitly teach the coupling coefficient of the diffraction grating of the gain region being greater than 300 cm⁻¹. Ikeda '737 teaches a diffraction grating with a very high coupling coefficient, greater than 300 cm⁻¹ (col. 5, line 67-col. 6, line 2) as suitable for semiconductor lasers. Therefore, it would have been obvious to one of ordinary skill in the art at

the time the invention was made to use a diffraction grating with a very high coupling coefficient, greater than 300 cm⁻¹. The subject matter as a whole would have been obvious to one of ordinary skill in the art at the time the invention was made to have selected the overlapping portion of the range disclosed by the reference because overlapping ranges have been held to be a *prima facie* case of obviousness, see *In re Malagari*, 182 U.S.P.Q. 549. Claim 4: '776, '740 and '737 teach the semiconductor laser as claimed in claim 1. '776 teaches the reflection region has a diffraction grating with a periodic structure (col. 4, lines 17-28, the distributed Bragg reflector). Distributed Bragg reflectors inherently have periodic structures (Furuya U.S. Patent 4,464,762, col. 1, lines 17-23).

Claim 5: '776 teaches a semiconductor laser comprising:

a first gain region having wavelength selectivity (col. 3, lines 24-28, the active layer);

a propagating region optically coupled to said gain region (col. 3, lines 27-28, the light guiding layer), having a material with an effective refractive index whose temperature dependence differs from that of the gain region, and having no gain nor wavelength selectivity (col. 3, lines 3-15, active layer has the positive refractive-index temperature coefficient, the light guiding layer has the negative refractive-index temperature coefficient); and

a second gain region optically coupled to the propagating region, and having wavelength selectively (col. 6, lines 51-58 and col. 19, lines 20-29 and Fig. 12, parts 723);

and the gain regions form a cavity for laser oscillation with an extended stop bandwidth (col. 12, lines 13-15).

'776 does not explicitly teach the propagation region is a material other than a semiconductor. However, it would have been an obvious matter of design choice to use a

material other than a semiconductor, since applicant has not disclosed that using a material other than a semiconductor material for a propagating region solves any stated problem or is any particular purpose and it appears that the invention would perform equally well with any material with an effective refractive index whose temperature dependence differs from that of the gain region, and having no gain nor wavelength selectivity.

'776 does not explicitly teach the gain region comprising a diffraction grating formed by a periodic perturbation with at least one of real and imaginary parts of a complex refractive index. Funabashi '740 teaches the gain region comprising a diffraction grating formed by a periodic perturbation with at least one of real and imaginary parts of a complex refractive index is suitable for the grating in a semiconductor laser with an active layer (col. 1, lines 26-41). The selection of something based on its known suitability for its intended use has been held to support a *prima facie* case of obviousness. *Sinclair & Carroll Co. v. Interchemical Corp.*, 325 U.S. 327, 65 USPQ 297 (1945). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use the gain region comprising a diffraction grating formed by a periodic perturbation with at least one of real and imaginary parts of a complex refractive index.

'776 and '740 do not explicitly teach the coupling coefficient of the diffraction grating of the gain region being greater than 300 cm⁻¹. Ikeda '737 teaches a diffraction grating with a very high coupling coefficient, greater than 300 cm⁻¹ (col. 5, line 67-col. 6, line 2) as suitable for semiconductor lasers. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use a diffraction grating with a very high coupling coefficient, greater than 300 cm⁻¹. The subject matter as a whole would have been obvious to

one of ordinary skill in the art at the time the invention was made to have selected the overlapping portion of the range disclosed by the reference because overlapping ranges have been held to be a *prima facie* case of obviousness, see *In re Malagari*, 182 U.S.P.Q. 549.

Claim 6: '776 teaches a semiconductor laser comprising:

a first gain region having wavelength selectivity (col. 3, lines 24-28, the active layer);

a propagating region optically coupled to said gain region (col. 3, lines 27-28, the light guiding layer), having a structure with an effective refractive index whose temperature dependence differs from that of the gain region, and having no gain nor wavelength selectivity (col. 3, lines 3-15, active layer has the positive refractive-index temperature coefficient, the light guiding layer has the negative refractive-index temperature coefficient); and

a second gain region optically coupled to the propagating region, and having wavelength selectively (col. 6, lines 51-58 and col. 19, lines 20-29 and Fig. 12, parts 723);

and the gain regions form a cavity for laser oscillation with an extended stop bandwidth (col. 12, lines 13-15).

'776 does not explicitly teach the gain region comprising a diffraction grating formed by a periodic perturbation with at least one of real and imaginary parts of a complex refractive index. Funabashi '740 teaches the gain region comprising a diffraction grating formed by a periodic perturbation with at least one of real and imaginary parts of a complex refractive index is suitable for the grating in a semiconductor laser with an active layer (col. 1, lines 26-41). The selection of something based on its known suitability for its intended use has been held to support a *prima facie* case of obviousness. *Sinclair & Carroll Co. v. Interchemical Corp.*, 325 U.S. 327, 65 USPQ 297 (1945). Therefore, it would have been obvious to one of ordinary skill

in the art at the time the invention was made to use the gain region comprising a diffraction grating formed by a periodic perturbation with at least one of real and imaginary parts of a complex refractive index.

'776 and '740 do not explicitly teach the coupling coefficient of the diffraction grating of the gain region being greater than 300 cm⁻¹. Ikeda '737 teaches a diffraction grating with a very high coupling coefficient, greater than 300 cm⁻¹ (col. 5, line 67-col. 6, line 2) as suitable for semiconductor lasers. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use a diffraction grating with a very high coupling coefficient, greater than 300 cm⁻¹. The subject matter as a whole would have been obvious to one of ordinary skill in the art at the time the invention was made to have selected the overlapping portion of the range disclosed by the reference because overlapping ranges have been held to be a *prima facie* case of obviousness, see *In re Malagari*, 182 U.S.P.Q. 549. Claim 7: '776, '740 and '737 teach the semiconductor laser of claim 3. '776 teaches the structure of the propagating region differs from a structure of the gain region in at least one of a layer structure (col. 20, lines 19-24).

Claim 9: '776, '740 and '737 teach the semiconductor laser of claim 1. '776 teaches the propagating region is composed of a material whose temperature differential coefficient of the effective refractive index (col. 20, lines 57-63) is different from that of a semiconductor (col. 9, lines 11-18). '776 does not explicitly teach the propagation region is a material other than a semiconductor. However, it would have been an obvious matter of design choice to use a material other than a semiconductor, since applicant has not disclosed that using a material other than a semiconductor material for a propagating region solves any stated problem or is any

Art Unit: 2828

particular purpose and it appears that the invention would perform equally well with any material with a temperature differential coefficient of the effective refractive index is different from a semiconductor.

Claim 10: '776, '740 and '737 teach the semiconductor laser of claim 1. '776 teaches the propagating region is composed of a material whose temperature differential coefficient of the effective refractive index is negative (col. 3, lines 39-46). '776 does not explicitly teach the propagation region is a material other than a semiconductor. However, it would have been an obvious matter of design choice to use a material other than a semiconductor, since applicant has not disclosed that using a material other than a semiconductor material for a propagating region solves any stated problem or is any particular purpose and it appears that the invention would perform equally well with any material whose temperature differential coefficient of the effective refractive index is negative.

Claim 14: '776, '740 and '737 teach the semiconductor laser of claim 1. '776 teaches the gain region (Fig. 15A, part 1023), the propagating region (Fig. 15A, part 1024), and the reflection region (Fig. 15A, part 1025) are stacked (col. 21, line 66-col. 22, line 15).

Claim 15: '776, '740 and '737 teach the semiconductor laser of claim 1. '776 teaches the gain region and the propagating region are coupled via optical path changing means (col. 7, lines 37-41).

Claim 16: '776, '740 and '737 teach the semiconductor laser of claim 1. '776 teaches the propagating region (Fig. 14A part 924) has a waveguide structure having an optical confinement structure on the upper (Fig. 14A part 921, the cladding layer) and lower portions (col. 21, lines 37-39).

Claims 50-54: Rejected for the same reason as claims 1-6 above.

Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Numai '776 in view of Funabashi '740 and Ikeda et al (U.S. Patent 5,155,737, hereafter '737) and further in view of Kirkby (U.S. Patent 4,583,227, hereafter '227).

'776, '740 and '737 teach the semiconductor laser of claim 1, as discussed above. They do not teach the absolute value of a product of a length of the propagating region and a difference between a temperature differential coefficient of the effective refractive index of the gain region and a temperature differential coefficient of the effective refractive index of the propagating region is equal to or greater than 7.5x10⁻⁴ µm/K. Kirkby '227 teaches the absolute value of a product of a length of the propagating region and a difference between a temperature differential coefficient of the effective refractive index of the gain region and a temperature differential coefficient of the effective refractive index of the propagating region is equal to or greater than 7.5×10^{-4} um/K is a suitable value for temperature compensating semiconductor lasers (col. 7, lines 4-8). The selection of something based on its known suitability for its intended use has been held to support a prima facie case of obviousness. Sinclair & Carroll Co. v. Interchemical Corp., 325 U.S. 327, 65 USPQ 297 (1945). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use the absolute value of a product of a length of the propagating region and a difference between a temperature differential coefficient of the effective refractive index of the gain region and a temperature differential coefficient of the effective refractive index of the propagating region is equal to or greater than $7.5 \times 10^{-4} \, \mu \text{m/K}$.

Art Unit: 2828

Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over Numai '776 in view of Funabashi '740 and Ikeda et al (U.S. Patent 5,155,737, hereafter '737) and further in view of Kashyap (U.S. Patent 5,719,974, hereafter '794).

'776, '740 and '737 teach the semiconductor laser of claim 1, as discussed above. They do not explicitly teach the length of the propagating region is determined such that a longitudinal mode spacing determined by a sum of an effective length of the diffraction grating and a length of the propagating region, is greater than a stop bandwidth of the diffraction grating. '794 teaches the length of the propagating region is determined such that a longitudinal mode spacing determined by a sum of an effective length of the diffraction grating and a length of the propagating region, is greater than a stop bandwidth of the diffraction grating (col. 8, line 24 and col. 9, lines 2-5) as suitable values for the diffraction grating in a semiconductor laser. The selection of something based on its known suitability for its intended use has been held to support a prima facie case of obviousness. Sinclair & Carroll Co. v. Interchemical Corp., 325 U.S. 327, 65 USPQ 297 (1945). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to determine the length of the propagating region such that a longitudinal mode spacing determined by a sum of an effective length of the diffraction grating and a length of the propagating region, is greater than a stop bandwidth of the diffraction grating.

Application/Control Number: 10/527,355 Page 15

Art Unit: 2828

Conclusion

1. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to PATRICK STAFFORD whose telephone number is (571)270-1275. The examiner can normally be reached on M-Th 7:30-5 EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, MinSun Harvey can be reached on (571) 272-1835. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/527,355 Page 16

Art Unit: 2828

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/P. S./

Examiner, Art Unit 2828

/Minsun Harvey/

Supervisory Patent Examiner, Art Unit 2828